



Test Report: **XLG-150-12**

150W Constant Voltage+Constant Current LED Driver

■ DESIGN VERIFY TEST

Output Function Test

Input Function Test

Protection Function Test

Component Stress Test

■ SAFETY & E.M.C. TEST

Safety Test





E.M.C. Test







■ RELIABILITY TEST

Environment Test

DESIGN VERIFY TEST

OUTPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	CONSTANT CURRENT REGION	8.4V~12V	I/P: 230VAC O/P: LED MODE Ta: 25°C	8V~ 12 V
2	CURRENT ADJ. RANGE	6.5A~12.5A	I/P: 230VAC O/P: SETTING Ta: 25°C	5.49A~13.23A
3	VOLTAGE TOLERANCE	-3%~+3%	I/P: 90VAC / 305VAC O/P: FULL/ NO LOAD Ta: 25°C	-2.08%~ 0.83%
4	LINE REGULATION	-0.5%~+0.5%	I/P: 90VAC ~ 305VAC O/P: FULL LOAD Ta: 25°C	0%~0.08%
5	LOAD REGULATION	-2%~+2%	I/P: 230VAC O/P: FULL ~NO LOAD Ta: 25°C	-0.59%~ 0.59%
6	OVER/UNDERSHOOT TEST	<± 5 %	I/P: 230VAC O/P: FULL LOAD Ta: 25°C	± 1.4%
7	RIPPLE & NOISE (Max)	150mVp-p	I/P: 230VAC O/P: FULL LOAD Ta: 25°C	13.6mVp-p
high frequency :  low frequency : 				
8	SET UP TIME(Max)	115VAC/1200ms 230VAC/ 500ms	I/P: 115 VAC I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	115VAC/ 210 ms 230VAC/ 204 ms
INPUT=115VAC/50HZ @ FULL LOAD CH1: Output Voltage CH2: AC Input Voltage  INPUT=230VAC/50HZ @ FULL LOAD CH1: Output Voltage CH2: AC Input Voltage 				


9	RISE TIME (Max)	115VAC/ 100ms 230VAC/ 100ms	I/P: 115 VAC I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	115VAC/ 22 ms 230VAC/ 18 ms
INPUT=115VAC/50HZ @ FULL LOAD CH1: Output Voltage		INPUT=230VAC/50HZ @ FULL LOAD CH1: Output Voltage		
				
10	HOLD UP TIME(Typ)	115VAC/ 10ms 230VAC/ 10ms	I/P: 115 VAC I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	115VAC/ 36.0 ms 230VAC/ 40.0 ms
INPUT=115VAC/50HZ @ FULL LOAD CH1: Output Voltage CH2: AC Input Voltage		INPUT=230VAC/50HZ @ FULL LOAD CH1: Output Voltage CH2: AC Input Voltage		
				
11	DYNAMIC LOAD	V1: 1200 mVp-p	I/P: 230VAC O/P: (1)FULL /50% LOAD 50%DUTY / 120HZ (2)FULL /50% LOAD 50%DUTY / 1KHZ Ta: 25°C	(1) 550mVp-p (2) 650mVp-p
FULL /50% LOAD 50%DUTY / 120HZ		FULL /50% LOAD 50%DUTY / 1KHZ		
				




INPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	INPUT VOLTAGE RANGE	100VAC~305VAC	I/P: TESTING O/P: FULL LOAD Ta: 25°C	95 V~ 308 V
			I/P: (1)LOW-LINE-3V=97 V HIGH-LINE+10V=315 V O/P: FULL/MIN LOAD ON: 30 Sec OFF: 30 Sec 10MIN (2)230VAC ON: 0.5 Sec OFF: 0.5 Sec 20MIN (POWER ON/OFF NO DAMAGE)	TEST: OK
2	INPUT FREQUENCY RANGE	47HZ ~63 HZ NO DAMAGE	I/P: 100 VAC ~305 VAC O/P: FULL~NO LOAD Ta: 25°C	TEST: OK
3	AC CURRENT	0.8A/277VAC 1.0A/230VAC 1.8A/115VAC	I/P: 277 VAC I/P: 230 VAC I/P: 115 VAC O/P: FULL LOAD Ta: 25°C	I=0.56 A/ 277VAC I=0.66 A/ 230VAC I=1.43 A/ 115VAC
4	LEAKAGE CURRENT	< 0.75mA / 277VAC	I/P: 277 VAC O/P: NO LOAD Ta: 25°C	L-FG: 0.267 mA N-FG: 0.262 mA
5	NO LOAD CONSUMPTION	<0.5W	I/P: 230VAC O/P: NO LOAD Ta: 25°C	0.36W
6	INRUSH CURRENT(Typ)	230VAC/ 50A COLD START (twidth=500us measured at 50% Ipeak) COLD START at 230V	I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	I = 43.2A/ 277VAC Twidth =439.6us/50% Ipeak

INPUT=230VAC/50HZ @ FULL LOAD

CH2: Input current CH1: AC Input Voltage



7	EFFICIENCY(Typ)	91.5%	I/P: 230VAC O/P: FULL LOAD Ta: 25°C	92.14%
EFFICIENCY vs LOAD 				
8	POWER FACTOR	0.92/ 277VAC 0.95/ 230VAC 0.97/ 115VAC	I/P: 277 VAC I/P: 230 VAC I/P: 115 VAC O/P: FULL LOAD Ta: 25°C	PF= 0.961 / 277VAC PF= 0.986 / 230VAC PF= 0.999 / 115VAC
P.F vs LOAD 				
9	TOTAL HARMONIC DISTORTION	THD<10% (@load ≥50%/115VAC, @load ≥50%/230VAC, @load ≥75%/277VAC)	I/P: 115 VAC/50% LOAD I/P: 230 VAC/50% LOAD I/P: 277 VAC/75% LOAD Ta: 25°C	THD=3.93% @50% load /115VAC THD=7.92% @50% load /230VAC THD=7.64% @75% load /277VAC
THD vs LOAD 				

PROTECTION FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	OVER CURRENT PROTECTION	95%~108%	I/P: 100VAC I/P: 230VAC I/P: 305VAC O/P: TESTING Ta: 25°C	99.4 %/ 100VAC 100.2 %/ 230VAC 100.0 %/ 305VAC Constant Current Limiting, recovers automatically after fault condition is removed
2	OVER VOLTAGE PROTECTION	13.5V~18V	I/P: 100VAC I/P: 230VAC I/P: 305VAC O/P: NO LOAD Ta: 25°C	15.45V/ 100VAC 15.5V/ 230VAC 15.51V/ 305VAC Shut down output voltage, re-power on to recovery
3	OVER TEMPERATURE PROTECTION	NO DAMAGE	I/P: 100VAC I/P: 230VAC I/P: 305VAC O/P: FULL LOAD	O.T.P. Active Shut down output voltage, re-power on to recovery
4	SHORT CIRCUIT PROTECTION	SHORT EVERY OUTPUT 1 HOUR NO DAMAGE	I/P: 100VAC I/P: 305VAC O/P: FULL LOAD Ta: 25°C	NO DAMAGE Hiccup mode, recovers automatically after fault condition is removed
5	INPUT OVER VOLTAGE (for XLG-150I only)	320 ~ 390VAC (Shut down output voltage when the input voltage exceeds protection voltage Can survive input voltage stress of 440Vac for 48 hours	I/P: TESTING O/P: FULL LOAD Ta:25°C	PASS

COMPONENT STRESS TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	PWM Power Transistor	Q 5 Rated 11A/600V	I/P: High-Line +3V =308V O/P: (1) Full Load Turn on (2) Output Short (3) Full load continue Ta: 25°C	(1) 454 V (2) 450 V (3) 446 V
2	Diode Peak Voltage	Q100 Rated 100A/40V	I/P: High-Line +3V =308V O/P: (1) Full Load Turn on (2) Output Short (3) Full load continue Ta: 25°C	(1) 30.2 V (2) 26.8 V (3) 27.5 V
3	PFC Transistor	Q1 Rated 10.6A/650V	I/P: High-Line +3V =308V O/P: (1) Full Load Turn on (2) Output Short (3) Full load continue Ta: 25°C	(1) 462 V (2) 474 V (3) 454 V
4	P.F.C DIODE	D1 Rated 9 A/ 600V	I/P: High-Line +3V =308V O/P: (1) Full Load Turn on (2) Output Short (3) Full load continue Ta: 25°C	(1)462V (2)422V (3)466V

5	Control IC	U1 Rated 27V (MAX.)	I/P: High-Line +3V =308 V O/P: ((1) FULL LOAD (2) Output Short (3) O.L.P (4) O.V.P (5) Low Line No Load Vo(min) Ta: 25°C	(1) 12.5 V (2) 12.1 V (3) 12.2 V (4) 12.1 V (5) 12.5 V
6	Input Capacitor Voltage	C5 Rated: 82 μ / 450 V	I/P: High-Line +3V =308 V O/P: (1)Full Load input on/off (2) Min load input on /Off (3)Full Load /Min load Change (4)Full load continue Ta: 25°C	(1)447V (2)444V (3)444V (4)443V

SAFETY TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	WITHSTAND VOLTAGE	I/P-O/P: 3.75KVAC/min I/P-FG: 2KVAC/min O/P-FG: 1.5KVAC/min	I/P-O/P: 4.125 KVAC/min I/P-FG: 2.4 KVAC/min O/P-FG: 1.8 KVAC/min Ta: 25°C	I/P-O/P: 3.083 mA I/P-FG: 3.006 mA O/P-FG: 2.764 mA NO DAMAGE
2	ISOLATION RESISTANCE	I/P-O/P: 500VDC>100M Ω I/P-FG: 500VDC>100M Ω O/P-FG: 500VDC>100M Ω	I/P-O/P: 500 VDC I/P-FG: 500 VDC O/P-FG: 500 VDC Ta: 25°C	I/P-O/P: >9999 M Ω I/P-FG: >9999 M Ω O/P-FG: >9999 M Ω
3	GROUNDING CONTINUITY	FG(PE) TO CHASSIS OR TRACE < 100 m Ω	40A / 2min Ta:25°C	16 m Ω

E.M.C TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	HARMONIC	EN61000-3-2 CLASS C	I/P: 230 VAC/50HZ O/P: FULL/50% LOAD Ta: 25°C	PASS
2	CONDUCTION	EN55015	I/P: 230 VAC/50HZ O/P: FULL LOAD Ta: 25°C	PASS Test by certified Lab
3	RADIATION	EN55015	I/P: 230 VAC/50HZ O/P: FULL LOAD Ta: 25°C	PASS Test by certified Lab
4	E.S.D	EN61000-4-2 LIGHT INDUSTRY AIR: 8KV Contact: 4KV	I/P: 230 VAC/50HZ O/P: FULL LOAD Ta: 25°C	CRITERIA A
5	E.F.T	EN61000-4-4 LIGHT INDUSTRY INPUT: 2KV	I/P: 230VAC/50HZ O/P: FULL LOAD Ta: 25°C	CRITERIA A

6	SURGE	EN61000-4-5 LIGHT INDUSTRY L-N: 4KV L,N-PE: 6KV	I/P: 230VAC/50HZ O/P: FULL LOAD Ta: 25°C	CRITERIA A
7	Test by certified Lab & Test Report Prepare. Any contradictions of the test results please refer to the latest EMC test report.			

■ RELIABILITY TEST

ENVIRONMENT TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT																																																																																				
1	TEMPERATURE RISE TEST	MODEL: XLG-150-12A 1. ROOM AMBIENT BURN-IN: 2 HRS I/P: 230VAC O/P: FULL LOAD Ta=24.5℃ 2. HIGH AMBIENT BURN-IN: 2 HRS I/P: 230VAC O/P: FULL LOAD Ta=56.3℃ <table><tr><th>NO</th><th>Position</th><th>ROOM AMBIENT Ta=24.5 °C</th><th>HIGH AMBIENT Ta=56.3 °C</th></tr><tr><td>1</td><td>RTH2</td><td>61.6℃</td><td>86.8℃</td></tr><tr><td>2</td><td>BD1</td><td>57.6℃</td><td>86.2℃</td></tr><tr><td>3</td><td>ZNR3</td><td>56.6℃</td><td>85.0℃</td></tr><tr><td>4</td><td>L2</td><td>58.8℃</td><td>86.6℃</td></tr><tr><td>5</td><td>C10</td><td>58.3℃</td><td>86.2℃</td></tr><tr><td>6</td><td>Q1</td><td>57.7℃</td><td>85.9℃</td></tr><tr><td>7</td><td>D2</td><td>60.0℃</td><td>87.8℃</td></tr><tr><td>8</td><td>C5</td><td>61.0℃</td><td>87.6℃</td></tr><tr><td>9</td><td>C51</td><td>60.5℃</td><td>88.8℃</td></tr><tr><td>10</td><td>D1</td><td>59.2℃</td><td>87.0℃</td></tr><tr><td>11</td><td>Q6</td><td>59.2℃</td><td>88.1℃</td></tr><tr><td>12</td><td>U2</td><td>63.1℃</td><td>90.8℃</td></tr><tr><td>13</td><td>C15</td><td>59.2℃</td><td>87.0℃</td></tr><tr><td>14</td><td>T1</td><td>69.3℃</td><td>97.9℃</td></tr><tr><td>15</td><td>Q100</td><td>65.7℃</td><td>95.7℃</td></tr><tr><td>16</td><td>U101</td><td>62.4℃</td><td>91.9℃</td></tr><tr><td>17</td><td>C105</td><td>62.0℃</td><td>91.6℃</td></tr><tr><td>18</td><td>LF100</td><td>58.1℃</td><td>88.2℃</td></tr><tr><td>19</td><td>RTH3</td><td>57.4℃</td><td>85.5℃</td></tr><tr><td>20</td><td>TC</td><td>52.5℃</td><td>81.5℃</td></tr></table>			NO	Position	ROOM AMBIENT Ta=24.5 °C	HIGH AMBIENT Ta=56.3 °C	1	RTH2	61.6℃	86.8℃	2	BD1	57.6℃	86.2℃	3	ZNR3	56.6℃	85.0℃	4	L2	58.8℃	86.6℃	5	C10	58.3℃	86.2℃	6	Q1	57.7℃	85.9℃	7	D2	60.0℃	87.8℃	8	C5	61.0℃	87.6℃	9	C51	60.5℃	88.8℃	10	D1	59.2℃	87.0℃	11	Q6	59.2℃	88.1℃	12	U2	63.1℃	90.8℃	13	C15	59.2℃	87.0℃	14	T1	69.3℃	97.9℃	15	Q100	65.7℃	95.7℃	16	U101	62.4℃	91.9℃	17	C105	62.0℃	91.6℃	18	LF100	58.1℃	88.2℃	19	RTH3	57.4℃	85.5℃	20	TC	52.5℃	81.5℃
NO	Position	ROOM AMBIENT Ta=24.5 °C	HIGH AMBIENT Ta=56.3 °C																																																																																					
1	RTH2	61.6℃	86.8℃																																																																																					
2	BD1	57.6℃	86.2℃																																																																																					
3	ZNR3	56.6℃	85.0℃																																																																																					
4	L2	58.8℃	86.6℃																																																																																					
5	C10	58.3℃	86.2℃																																																																																					
6	Q1	57.7℃	85.9℃																																																																																					
7	D2	60.0℃	87.8℃																																																																																					
8	C5	61.0℃	87.6℃																																																																																					
9	C51	60.5℃	88.8℃																																																																																					
10	D1	59.2℃	87.0℃																																																																																					
11	Q6	59.2℃	88.1℃																																																																																					
12	U2	63.1℃	90.8℃																																																																																					
13	C15	59.2℃	87.0℃																																																																																					
14	T1	69.3℃	97.9℃																																																																																					
15	Q100	65.7℃	95.7℃																																																																																					
16	U101	62.4℃	91.9℃																																																																																					
17	C105	62.0℃	91.6℃																																																																																					
18	LF100	58.1℃	88.2℃																																																																																					
19	RTH3	57.4℃	85.5℃																																																																																					
20	TC	52.5℃	81.5℃																																																																																					
2	LOW TEMPERATURE TURN ON TEST	TURN ON AFTER 2 HOUR	I/P: 305VAC/100VAC O/P: 100% LOAD Ta= -45℃/ -35℃	TEST: OK																																																																																				
3	HIGH HUMIDITY HIGH TEMPERATURE HIGH VOLTAGE TURN ON TEST	AFTER 12 HOURS IN CHAMBER ON CONTROL 55℃ NO DAMAGE	I/P: 305VAC O/P: FULL LOAD Ta=55℃ HUMIDITY= 95 %R.H	TEST: OK																																																																																				
4	TEMPERATURE COEFFICIENT	±0.06 %/℃ (0~60℃)	I/P: 230 VAC O/P: FULL LOAD	±0.011 %/℃ (0~60℃)																																																																																				

5	STORAGE TEMPERATURE TEST	-40°C ~ +80°C	1. Thermal shock Temperature: -50°C ~ +125°C 2. Temperature change rate : 25°C / MIN 3. Dwell time low and high temperature : 30 MIN/EACH 4. Total test cycle: 200CYCLE 5. Input/Output condition: STATIC TEST: OK
6	THERMAL SHOCK TEST	-40~+55°C	1. Thermal shock Temperature: -45°C ~ +60°C 2. Temperature change rate : 25°C / MIN 3. Dwell time low and high temperature : 30 MIN/EACH 4. Total test cycle: 16CYCLE 5. Input/Output condition: 15cycle:230VAC/ FULL LOAD AC on 3 sec/AC off 1 sec TEST 1cycle:230VAC/ FULL LOAD Burn In Test TEST: OK
7	VIBRATION TEST	10~ 500Hz, 5G 12min./1cycle, period for 72min. each along X, Y, Z axes	1 Carton & 1 Set (1) Waveform: Sine Wave (2) Frequency: 10~500Hz (3) Sweep Time: 12min/sweep cycle (4) Acceleration: 6G (5) Test Time: 72min in each axis (X.Y.Z) (6) Ta: 25°C TEST: OK
8	CAPACITOR LIFE CYCLE	XLG-150-12: SUPPOSE C105 IS THE MOST CRITICAL COMPONENT (1) I/P: 230VAC O/P: FULL LOAD Tc= 70 °C LIFE TIME (2) I/P: 230VAC O/P: 75% LOAD Tc= 70 °C LIFE TIME (3) I/P: 230VAC O/P: 50% LOAD Tc= 70 °C LIFE TIME	(1) 52940 HRS (2) 81946 HRS (3) 115009 HRS
9	MTBF	Conducted by Parts Stress Analysis Prediction 712.17K hrs min. Telcordia SR-332 (Bellcore) 213.3K hrs min. MIL-HDBK-217F (25°C)	
10	Ongoing Reliability Test	I/P: 230VAC O/P: FULL LOAD TA=50°C Demonstration Mean Time Between Failure : 50,000 hours	

TEST RESULT	TESTER	REVIEW	APPROVAL
PASS	WUWQ/ZHOUB	WENF	LIUWY