



Test Report: UHP-500-36

500W Slim Type with PFC Switching Supply

■ DESIGN VERIFY TEST

Output Function Test

Input Function Test

Protection Function Test

Component Stress Test

■ SAFETY & E.M.C. TEST

Safety Test





E.M.C. Test







■ RELIABILITY TEST

Environment Test

DESIGN VERIFY TEST

OUTPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	OUTPUT VOLTAGE ADJUST RANGE	34.2V~37.8V	I/P: 230VAC O/P: NO LOAD Ta: 25°C	33.37V~38.67V
2	PEAK LOAD	150% peak load capability(100ms)	I/P: 230VAC O/P: 150% LOAD Ta: 25°C	TEST: OK
3	OUTPUT VOLTAGE TOLERANCE	-1%~+1%	I/P: 90VAC / 264VAC O/P: FULL / NO LOAD Ta: 25°C	- 0.28%~+0.36%
4	LINE REGULATION	-0.3%~+0.3%	I/P: 110VAC ~ 264VAC O/P: FULL LOAD Ta: 25°C	- 0.03 %~+0.05%
5	LOAD REGULATION	-0.5%~+0.5%	I/P: 230VAC O/P: FULL ~NO LOAD Ta: 25°C	- 0.06%~+0.03%
6	OVER/UNDERSHOOT TEST	<±5 %	I/P: 230VAC O/P: FULL LOAD Ta: 25°C	<5%
7	RIPPLE & NOISE (Max)	360mVp-p	I/P: 230VAC O/P: FULL LOAD Ta: 25°C	208mVp-p
high frequency :  low frequency : 				
8	SET UP TIME(Max)	230VAC/ 1000ms 115VAC/1000ms	I/P: 230 VAC I/P: 115 VAC O/P: FULL LOAD Ta: 25°C	230VAC/612 ms 115VAC/440 ms
INPUT=230VAC/50HZ @ FULL LOAD CH1: Output Voltage CH2: AC Input Voltage  INPUT=115VAC/60HZ @ FULL LOAD CH1: Output Voltage CH2: AC Input Voltage 				


9	RISE TIME (Max)	230VAC/ 50ms 115VAC/ 50ms	I/P: 230 VAC I/P: 115 VAC O/P: FULL LOAD Ta: 25°C	230VAC/8.6ms 115VAC/9.4 ms
INPUT=230VAC/50HZ @ FULL LOAD CH1: Output Voltage		INPUT=115VAC/60HZ @ FULL LOAD CH1: Output Voltage		
				
10	HOLD UP TIME(Typ)	230VAC/ 12ms 115VAC/ 12ms	I/P: 230 VAC I/P: 115 VAC O/P: FULL LOAD Ta: 25°C	230VAC/16.8ms 115VAC/16.8 ms
INPUT=230VAC/50HZ @ FULL LOAD CH1: Output Voltage CH2: AC Input Voltage		INPUT=115VAC/60HZ @ FULL LOAD CH1: Output Voltage CH2: AC Input Voltage		
				
11	DYNAMIC LOAD	V1: 3600 mVp-p	I/P: 230VAC O/P: (1)FULL/50% LOAD 50%DUTY / 120HZ (2)FULL/50% LOAD 50%DUTY / 1KHZ Ta: 25°C	(1) 564mVp-p (2) 518mVp-p
FULL /50% LOAD 50%DUTY / 120HZ		FULL /50% LOAD 50%DUTY / 1KHZ		
				

INPUT FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	INPUT VOLTAGE RANGE	90VAC~264VAC	I/P: TESTING O/P: FULL LOAD Ta: 25°C	87 V~300V
			I/P: (1)LOW-LINE-3V=87 V HIGH-LINE+15%=300 V O/P: FULL/NO LOAD ON: 30 Sec OFF: 30 Sec 10MIN (2)230VAC ON: 0.5 Sec OFF: 0.5 Sec 20MIN (POWER ON/OFF NO DAMAGE)	TEST: OK
2	Withstand 300VAC Surge	300VAC input for 5 seconds No damage	I/P: 300VAC O/P: FULL LOAD Ta: 25°C	TEST: OK
3	INPUT FREQUENCY RANGE	47HZ ~63 HZ NO DAMAGE	I/P: 90 VAC ~264 VAC O/P: FULL~NO LOAD Ta: 25°C	TEST: OK
4	AC CURRENT	4.85A/115VAC 2.6A/230VAC	I/P: 115 VAC I/P: 230 VAC O/P: FULL LOAD Ta: 25°C	I = 4.64A/ 115VAC I =2.33A/ 230VAC
5	LEAKAGE CURRENT	< 0.75mA / 240VAC	I/P: 240 VAC O/P: NO LOAD Ta: 25°C	L-FG: 0.316 mA N-FG: 0.370mA
6	NO LOAD CONSUMPTION	---	I/P: 115VAC I/P: 230VAC O/P: NO LOAD Ta: 25°C	1.29 W/115VAC 1.31 W/230VAC
7	INRUSH CURRENT(Typ)	230V/60A 115V/30A COLD START	I/P: 230VAC/115VAC O/P: FULL LOAD Ta: 25°C	I =50.4A/ 230VAC I =12.3A/ 115VAC


INPUT=230VAC/50HZ @ FULL LOAD



CH2: Input current CH1: AC Input Voltage



INPUT=115VAC/60HZ @ FULL LOAD

CH2: Input current CH1: AC Input Voltage



8	EFFICIENCY(Typ)	95%	I/P: 230VAC O/P: FULL LOAD Ta: 25°C	95.52 %																				
	EFFICIENCY vs LOAD																							
	 <table border="1"><thead><tr><th>LOAD</th><th>230V</th><th>115V</th></tr></thead><tbody><tr><td>50%</td><td>95.52</td><td>94.0</td></tr><tr><td>60%</td><td>95.52</td><td>94.0</td></tr><tr><td>70%</td><td>95.52</td><td>94.0</td></tr><tr><td>80%</td><td>95.52</td><td>94.0</td></tr><tr><td>90%</td><td>95.52</td><td>94.0</td></tr><tr><td>100%</td><td>95.52</td><td>94.0</td></tr></tbody></table>				LOAD	230V	115V	50%	95.52	94.0	60%	95.52	94.0	70%	95.52	94.0	80%	95.52	94.0	90%	95.52	94.0	100%	95.52
LOAD	230V	115V																						
50%	95.52	94.0																						
60%	95.52	94.0																						
70%	95.52	94.0																						
80%	95.52	94.0																						
90%	95.52	94.0																						
100%	95.52	94.0																						
9	POWER FACTOR	0.95/ 230VAC 0.98/115VAC	I/P: 230 VAC I/P: 115 VAC O/P: FULL LOAD Ta: 25°C	PF=0.974/ 230VAC PF=0.989/ 115VAC																				
	P.F vs LOAD																							
	 <table border="1"><thead><tr><th>LOAD</th><th>230V</th><th>115V</th></tr></thead><tbody><tr><td>50%</td><td>0.95</td><td>0.989</td></tr><tr><td>60%</td><td>0.96</td><td>0.989</td></tr><tr><td>70%</td><td>0.97</td><td>0.989</td></tr><tr><td>80%</td><td>0.974</td><td>0.989</td></tr><tr><td>90%</td><td>0.974</td><td>0.989</td></tr><tr><td>100%</td><td>0.974</td><td>0.989</td></tr></tbody></table>				LOAD	230V	115V	50%	0.95	0.989	60%	0.96	0.989	70%	0.97	0.989	80%	0.974	0.989	90%	0.974	0.989	100%	0.974
LOAD	230V	115V																						
50%	0.95	0.989																						
60%	0.96	0.989																						
70%	0.97	0.989																						
80%	0.974	0.989																						
90%	0.974	0.989																						
100%	0.974	0.989																						

PROTECTION FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	OVER LOAD PROTECTION	110~140%	I/P: 110VAC I/P: 230VAC I/P: 264VAC O/P: TESTING Ta: 25°C	125.9%/ 110VAC 125.6%/ 230VAC 125.6%/ 264VAC Hiccup mode, recovers automatically after fault condition is removed
2	OVER VOLTAGE PROTECTION	39.6V~46.8V	I/P: 90VAC I/P: 230VAC I/P: 264VAC O/P: NO LOAD Ta: 25°C	45.42 V/ 90VAC 45.57V/ 230VAC 45.42V/ 264VAC Shut down o/p voltage, re-power on to recovery
3	OVER TEMPERATURE PROTECTION	NO DAMAGE	I/P: 110VAC I/P: 230VAC I/P: 264VAC O/P: FULL LOAD	O.T.P. Active Shut down o/p voltage, recovers automatically after temperature goes down
4	SHORT PROTECTION	SHORT EVERY OUTPUT 1 HOUR NO DAMAGE	I/P: 90VAC I/P: 264VAC O/P: FULL LOAD Ta: 25°C	NO DAMAGE Hiccup mode, recovers automatically after fault condition is removed

CONTROL FUNCTION TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	REDUNDANT CONTROL	For parallel connection protection:For parallel applications,when one PSU can not work,the another one will be automatically enabled.This can preven the system crash,and provide the reliability of system	I/P: 230 VAC O/P:FULL LOAD	TEST: OK
2	DC OK CONTACT RATINGS	30VDC/1A RESISTIVE LOAD	I/P:230VAC O/P:FULL LOAD Ta:25℃	TEST: OK

COMPONENT STRESS TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	PWM Power Transistor	Q10 Rated 22A/600V	I/P: High-Line +3V =267V O/P: (1) FULL LOAD Turn on (2) Output Short (3) FULL LOAD continue Ta: 25℃	(1) 525 V (2) 541V (3) 530 V
2	O/P Diode (MOSFET)	Q100 Rated 42A/100 V	I/P: High-Line +3V =267V O/P: (1) FULL LOAD Turn on (2) Output Short (3) FULL LOAD continue Ta: 25℃	(1) 86.6 V (2) 11.0 V (3) 83.5 V
3	Input Capacitor	C5 Rated 270 μ / 420 V	I/P: High-Line +3V =267 V O/P: (1) FULL LOAD input on/off (2) NO LOAD input on /Off (3) FULL LOAD /NO LOAD Change Ta: 25℃	(1) 418 V (2) 412 V (3) 414 V
4	Control IC	U1 Rated 20V (MAX.)	I/P: High-Line +3V =267 V O/P: ((1) FULL LOAD (2) Output Short (3) O.L.P (4) O.V.P (5) Low Line No Load Vo(min) Ta: 25℃	(1) 19.0 V (2) 17.4 V (3) 18.2 V (4) 15.2 V (5) 14.8 V
5	PFC Power Transistor	Q1 Rated 22A/600V	I/P: High-Line +3V =267V O/P: (1) FULL LOAD Turn on (2) Output Short (3) FULL LOAD continue Ta: 25℃	(1) 462 V (2) 466 V (3) 465 V

SAFETY TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	WITHSTAND VOLTAGE	I/P-O/P: 3.75 KVAC/min I/P-FG: 2.0 KVAC/min O/P-FG: 1.25 KVAC/min	I/P-O/P: 4.125 KVAC/min I/P-FG: 2.4 KVAC/min O/P-FG: 1.5 KVAC/min Ta: 25°C	I/P-O/P: 3.477 mA I/P-FG: 3.424 mA O/P-FG: 3.474 mA NO DAMAGE
2	ISOLATION RESISTANCE	I/P-O/P: 500VDC>100MΩ I/P-FG: 500VDC>100MΩ O/P-FG: 500VDC>100MΩ	I/P-O/P: 500 VDC I/P-FG: 500 VDC O/P-FG: 500 VDC Ta: 25°C/70%RH	I/P-O/P: 3568 MΩ I/P-FG: >9999 MΩ O/P-FG: 5083 MΩ
3	GROUNDING CONTINUITY	FG(PE) TO CHASSIS OR TRACE < 100 mΩ	40A / 2min Ta: 25°C	10mΩ

E.M.C TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT
1	HARMONIC	EN61000-3-2	I/P: 230VAC/50HZ O/P: FULL LOAD Ta: 25°C	PASS
2	CONDUCTION	EN55032	I/P: 230 VAC (50HZ) O/P: FULL LOAD Ta: 25°C	PASS Test by certified Lab
3	RADIATION	EN55032	I/P: 230 VAC (50HZ) O/P: FULL LOAD Ta: 25°C	PASS Test by certified Lab
4	E.S.D	EN61000-4-2 HEAVY INDUSTRY AIR: 8KV Contact: 4KV	I/P: 230 VAC/50HZ O/P: FULL LOAD Ta: 25°C	PASS CRITERIA A
5	E.F.T	EN61000-4-4 HEAVY INDUSTRY INPUT: 2KV	I/P: 230VAC/50HZ O/P: FULL LOAD Ta: 25°C	PASS CRITERIA A
6	SURGE	EN61000-4-5 HEAVY INDUSTRY L-N: 2KV L,N-PE: 4KV	I/P: 230VAC/50HZ O/P: FULL LOAD Ta: 25°C	PASS CRITERIA A
7	Test by certified Lab & Test Report Prepare			

RELIABILITY TEST

ENVIRONMENT TEST

NO	TEST ITEM	SPECIFICATION	TEST CONDITION	RESULT																																																																																				
1	TEMPERATURE RISE TEST	MODEL: UHP-500-48 1. ROOM AMBIENT BURN-IN: 2 HRS I/P: 230VAC O/P: FULL LOAD Ta=28.6℃ 2. HIGH AMBIENT BURN-IN: 2 HRS I/P: 230VAC O/P: FULL LOAD Ta=44.5℃ <table><thead><tr><th>NO</th><th>Position</th><th>ROOM AMBIENT Ta=28.6 ℃</th><th>HIGH AMBIENT Ta=44.5 ℃</th></tr></thead><tbody><tr><td>1</td><td>BD1</td><td>58.3℃</td><td>71.1℃</td></tr><tr><td>2</td><td>D9</td><td>62.9℃</td><td>75.9℃</td></tr><tr><td>3</td><td>Q2</td><td>56.6℃</td><td>70.2℃</td></tr><tr><td>4</td><td>D5</td><td>60.5℃</td><td>73.5℃</td></tr><tr><td>5</td><td>C5</td><td>51.6℃</td><td>64.4℃</td></tr><tr><td>6</td><td>Q10</td><td>69.9℃</td><td>84.2℃</td></tr><tr><td>7</td><td>Q11</td><td>68.0℃</td><td>82.2℃</td></tr><tr><td>8</td><td>C93</td><td>63.5℃</td><td>77.3℃</td></tr><tr><td>9</td><td>C36</td><td>58.9℃</td><td>72.6℃</td></tr><tr><td>10</td><td>U1</td><td>50.0℃</td><td>62.8℃</td></tr><tr><td>11</td><td>U2</td><td>51.4℃</td><td>64.5℃</td></tr><tr><td>12</td><td>T1</td><td>70.7℃</td><td>84.9℃</td></tr><tr><td>13</td><td>Q103</td><td>60.3℃</td><td>75.3℃</td></tr><tr><td>14</td><td>Q100</td><td>54.5℃</td><td>69.2℃</td></tr><tr><td>15</td><td>Q210</td><td>48.2℃</td><td>61.7℃</td></tr><tr><td>16</td><td>U100</td><td>49.3℃</td><td>63.2℃</td></tr><tr><td>17</td><td>C115</td><td>48.7℃</td><td>62.8℃</td></tr><tr><td>18</td><td>C119</td><td>49.8℃</td><td>64.3℃</td></tr><tr><td>19</td><td>TSW1</td><td>65.2℃</td><td>78.7℃</td></tr><tr><td>20</td><td>Tc</td><td>56.4℃</td><td>70.5℃</td></tr></tbody></table>			NO	Position	ROOM AMBIENT Ta=28.6 ℃	HIGH AMBIENT Ta=44.5 ℃	1	BD1	58.3℃	71.1℃	2	D9	62.9℃	75.9℃	3	Q2	56.6℃	70.2℃	4	D5	60.5℃	73.5℃	5	C5	51.6℃	64.4℃	6	Q10	69.9℃	84.2℃	7	Q11	68.0℃	82.2℃	8	C93	63.5℃	77.3℃	9	C36	58.9℃	72.6℃	10	U1	50.0℃	62.8℃	11	U2	51.4℃	64.5℃	12	T1	70.7℃	84.9℃	13	Q103	60.3℃	75.3℃	14	Q100	54.5℃	69.2℃	15	Q210	48.2℃	61.7℃	16	U100	49.3℃	63.2℃	17	C115	48.7℃	62.8℃	18	C119	49.8℃	64.3℃	19	TSW1	65.2℃	78.7℃	20	Tc	56.4℃	70.5℃
NO	Position	ROOM AMBIENT Ta=28.6 ℃	HIGH AMBIENT Ta=44.5 ℃																																																																																					
1	BD1	58.3℃	71.1℃																																																																																					
2	D9	62.9℃	75.9℃																																																																																					
3	Q2	56.6℃	70.2℃																																																																																					
4	D5	60.5℃	73.5℃																																																																																					
5	C5	51.6℃	64.4℃																																																																																					
6	Q10	69.9℃	84.2℃																																																																																					
7	Q11	68.0℃	82.2℃																																																																																					
8	C93	63.5℃	77.3℃																																																																																					
9	C36	58.9℃	72.6℃																																																																																					
10	U1	50.0℃	62.8℃																																																																																					
11	U2	51.4℃	64.5℃																																																																																					
12	T1	70.7℃	84.9℃																																																																																					
13	Q103	60.3℃	75.3℃																																																																																					
14	Q100	54.5℃	69.2℃																																																																																					
15	Q210	48.2℃	61.7℃																																																																																					
16	U100	49.3℃	63.2℃																																																																																					
17	C115	48.7℃	62.8℃																																																																																					
18	C119	49.8℃	64.3℃																																																																																					
19	TSW1	65.2℃	78.7℃																																																																																					
20	Tc	56.4℃	70.5℃																																																																																					
2	LOW TEMPERATURE TURN ON TEST	TURN ON AFTER 2 HOUR	I/P: 264VAC/90VAC O/P: FULL /80% LOAD Ta= -35℃	TEST: OK																																																																																				
3	HIGH HUMIDITY HIGH TEMPERATURE HIGH VOLTAGE TURN ON TEST	AFTER 12 HOURS IN CHAMBER ON CONTROL 50℃ NO DAMAGE	I/P: 264VAC O/P: FULL LOAD Ta=50℃ HUMIDITY= 95%R.H	TEST: OK																																																																																				
4	TEMPERATURE COEFFICIENT	±0.03 %/℃(0~50℃)	I/P: 230 VAC O/P: FULL LOAD	±0.001%/℃(0~50℃)																																																																																				
5	STORAGE TEMPERATURE TEST	1. Thermal shock Temperature: -45℃~+90℃ 2. Temperature change rate : 25℃ / MIN 3. Dwell time low and high temperature : 30 MIN/EACH 4. Total test cycle: 100 CYCLE 5. Input/Output condition: STATIC		TEST: OK																																																																																				



500W Slim Type with PFC Switching Supply

UHP-500 series

6	THERMAL SHOCK TEST	1. Thermal shock Temperature: -25°C ~ +55°C 2. Temperature change rate : 25°C / MIN 3. Dwell time low and high temperature : 30 MIN/EACH 4. Total test cycle: 16 CYCLE 5. Input/Output condition: 230VAC/FULL LOAD AC ON/OFF TEST AC on 3 sec/AC off 1 sec TEST	TEST: OK
7	VIBRATION TEST	1 Carton & 1 Set (1) Waveform: Sine Wave (2) Frequency: 10~500Hz (3) Sweep Time: 10min/sweep cycle (4) Acceleration: 5G (5) Test Time: 180min in each axes (X.Y.Z) (6) Ta: 25°C	TEST: OK
8	CAPACITOR LIFE CYCLE	UHP-500-48: SUPPOSE C105 IS THE MOST CRITICAL COMPONENT (1) I/P: 230VAC O/P: FULL LOAD Ta= 25 °C LIFE TIME (2) I/P: 230VAC O/P: FULL LOAD Ta= 50 °C LIFE TIME (3) I/P: 230VAC O/P: 75% LOAD Ta= 50 °C LIFE TIME (4) I/P: 230VAC O/P: 50% LOAD Ta= 50 °C LIFE TIME	(1) 822639 HRS (2) 160235 HRS (3) 234623 HRS (4) 322006 HRS
9	MTBF	Conducted by Parts Stress Analysis Prediction 168K hrs min. MIL-HDBK-217F (25°C)	
10	DMTBF/Accelerated Life Test	Demonstration Mean Time Between Failure(Expected Life) : 30,000 hours @ Ta 50°C	

TEST RESULT	TESTER	REVIEW	APPROVAL
PASS	SHENJW/ZHUOKB	SKY	LIUWY