


# Kunststoffkabelverschraubungen

HSK-W (metrisch, PG, NPT)



Material	Polyamid
Formdichtung	NBR
Material O-Ring	NBR
Schutzart	IP 68
Temperaturbereich	-40°C bis +100°C
Farbe	schwarz / grau
RAL	9005 / 7035

RoHS

// andere Dichtungsmaterialien z.B. Silikon auf Anfrage

AG	∅k mm	GL mm	H mm	L mm	SW mm	⊕ Nm	Art.-Nr. grau	Art.-Nr. schwarz
M16 x 1,5	2-6	8	23	45	19	2,5	1.313.1600.51	1.313.1601.51
M16 x 1,5	4-8	8	23	45	19	2,5	1.313.1600.50	1.313.1601.50
M20 x 1,5	5-9	9	30,5	57	24	4	1.313.2000.51	1.313.2001.51
M20 x 1,5	6-12	9	30,5	57	24	4	1.313.2000.50	1.313.2001.50
M25 x 1,5	9-16	11	40	73	33	6	1.313.2500.51	1.313.2501.51
M25 x 1,5	13-18	11	40	73	33	6	1.313.2500.50	1.313.2501.50
M32 x 1,5	13-20	11	51,5	91	42	9	1.313.3200.51	1.313.3201.51
M32 x 1,5	18-25	11	51,5	91	42	9	1.313.3200.50	1.313.3201.50
PG 9	2-6	8	23	45	19	2,5	1.313.0900.15	1.313.0901.15
PG 9	4-8	8	23	45	19	2,5	1.313.0900.14	1.313.0901.14
PG 11	3-7	8	27	50	22	2,5	1.313.1100.15	1.313.1101.15
PG 11	5-10	8	27	50	22	4	1.313.1100.14	1.313.1101.14
PG 13,5	5-9	9	30,5	57	24	4	1.313.1300.15	1.313.1301.15
PG 13,5	6-12	9	30,5	57	24	4	1.313.1300.14	1.313.1301.14
PG 16	7-12	10	32,5	59	27	4	1.313.1600.15	1.313.1601.15
PG 16	10-14	10	32,5	59	27	6	1.313.1600.14	1.313.1601.14
PG 21	9-16	11	40	73	33	6	1.313.2100.15	1.313.2101.15
PG 21	13-18	11	40	73	33	6	1.313.2100.14	1.313.2101.14
PG 29	13-20	11	51,5	91	42	9	1.313.2900.15	1.313.2901.15
PG 29	18-25	11	51,5	91	42	9	1.313.2900.14	1.313.2901.14
NPT 3/8"	2-6	15	23	45	19	2,5	1.313.3800.71	1.313.3801.71
NPT 3/8"	4-8	15	23	45	19	2,5	1.313.3800.70	1.313.3801.70
NPT 1/2"	5-9	13	32,5	57	24	4	1.313.1200.71	1.313.1201.71
NPT 1/2"	6-12	13	32,5	57	24	4	1.313.1200.70	1.313.1201.70
NPT 1/2"	7-12	13	32,5	59	27	4	1.313.1216.71	1.313.1217.71
NPT 1/2"	10-14	13	32,5	59	27	6	1.313.1216.70	1.313.1217.70
NPT 3/4"	9-16	13	40	73	33	6	1.313.3400.71	1.313.3401.71
NPT 3/4"	13-18	13	40	73	33	6	1.313.3400.70	1.313.3401.70
NPT 1"	13-20	19	51,5	91	42	9	1.313.1000.71	1.313.1001.71
NPT 1"	18-25	19	51,5	91	42	9	1.313.1000.70	1.313.1001.70

